


DEMOGRAF AUDIO · COLLECTION

Hypostasis

One loudspeaker, two hypostases.

Made by Dmitriy Gubchenko. Every unit ships with a Manufacturing Record stating its country of origin and a bill of materials.

About the collection

Two hypostases of one loudspeaker, Atreus and Menelaus, with identical high- and mid-frequency panels: Menelaus with a classic subwoofer, Atreus with a purely electrostatic isobaric bass section.

Hypostasis: two hypostases of one and the same thing. The collection is two loudspeakers, Atreus and Menelaus: seemingly one loudspeaker, with identical electrostatic panels for the mid and high frequencies; yet Menelaus takes its bass from a classic subwoofer, Atreus from a classic isobaric electrostatic bass section.

Each has a sound of its own, and they share the same midrange and treble: the panels are identical in both.

They took thirteen years to develop.



Models



LOUDSPEAKER

Menelaus

Hybrid electrostatic loudspeaker: curved and flat 2-micron ESL panels above 600 Hz, 12–15″ Demograf Audio subwoofer below

Frequency response	20 Hz – 20 kHz
Sensitivity	85–86 dB
Impedance	2–4 Ω

demografaudio.com/loudspeakers/menelaus/



LOUDSPEAKER

Atreus

Fully electrostatic open-baffle loudspeaker: curved and flat 2-micron panels, isobaric electrostatic bass, 20 Hz – 20 kHz

Frequency response	20 Hz – 20 kHz
Sensitivity	85–86 dB
Impedance	2–4 Ω

demografaudio.com/loudspeakers/atreus/

The models compared

	Menelaus	Atreus
Type	Loudspeaker	Loudspeaker
Frequency response	20 Hz – 20 kHz	20 Hz – 20 kHz
Sensitivity	85–86 dB	85–86 dB
Impedance	2–4 Ω (drops to about 1 Ω at 20 kHz)	2–4 Ω (drops to about 1 Ω at 20 kHz)
Weight	~50 kg	~60 kg (including 50 kg steel stators)

Key parameters; the full table of every model is on demografaudio.com/loudspeakers/.

Materials & build

Menelaus

The subwoofer cabinet is braced and damped with acoustic felt to keep standing waves and resonances out of the bass. Custom step-up transformers and an integrated 5000 V multiplier bias the electrostatic panels.

Atreus

Each loudspeaker weighs about 60 kg, 50 kg of which is the steel stators of the bass section.

Build, warranty & delivery

- Built individually, to order. A 50% deposit places the unit in the build queue.
- Build time is six months or more, depending on the configuration and the queue.
- One-year warranty; after it, paid repair. Every unit ships with its own measurement report.
- Configuration, prices in your currency and the seller for your country: demografaudio.com

How is it delivered?

Shipping and insurance are paid by the buyer and shown as a separate line in your quotation. Every unit is packed for long-distance transport in heavy-duty flight cases and a wooden crate.

Mains voltage

Every piece of gear can be built for 100 V, 120 V or 230 V mains with the matching plug (NEMA, Schuko or BS 1363 / Type G). Voltage is fixed at order time.

The path of an order

01 **Write to us** Tell us which model you are considering and what system it will serve. We answer within two working days.

02 **Consultation** We discuss your room, your sources and your listening habits by email.

03 **Queue deposit** A 50% deposit reserves your place in the build queue. Once we confirm the configuration, we send you an invoice for the deposit. Made to order: no returns except a defect we confirm. A video call with Dmitriy is included when an order has two or more items, and with every repeat order from a returning customer.

04 **Assembly** When your slot in the queue comes up, the build begins. We tell you the date, the unit number and an estimated month of completion.

05 **Measurement & balance** After final measurement you receive the report; the balance is due before shipping.

ORDER & CONTACT

Write to us on **demografaudio.com/contact/**: we answer within two working days. E-mail: **shop@demografaudio.com**.

On the site: **demografaudio.com/loudspeakers/collections/hypostasis/**

Made in Kazakhstan by Dmitriy Gubchenko · Hypostasis collection · 2026-10-30